Isoflex Technologies Pty Ltd
11/75 Waterway Drive
Coomera, QLD 4209 AUSTRALIA
Ph: +61 7 5556 0924
E: info@isoflex.com.au

Isoflex Technologies International, LLC
3434 SW 15th Street
Deerfield Beach, FL 33442 U.S.A.
Ph: 561-210-5170
E: info@isoflextech.com

ISOFLEX MOUNT DATA SHEET - GPM6

GPM6 - 6 B - YEL

Thread Size	
6	M6
8	M8

Bolt Type
Bolt and washers supplied

Resilient Core Type	
YEL	Yellow
RED	Red
BLK	Black
DBL	Dark Blue
Other duro available on request	

Base: Black - 75 SDH-D
Metal components a combination of marine alloy, stainless steel and components zinc plated to ASTM B633 Type II SC3



Mount model GPM6-6B or GPM6-8B

WEIGHT:

Model	Metric (kg)	Imperial (lb)
GPM6-6B	0.1	0.2
GPM6-8B	0.1	0.2

SPECIFICATION:

	Metric (kg)	Imperial (lb)
Recommended working load per mount	1-20	2-44

Specifications are subject to change without notice.

Document: Isoflex-DS-GPM6-R3
Author: Matt McCart Date: 23 Nov 2020
Copyright © 2020 Isoflex Technologies Pty Ltd

Isoflex Technologies Pty Ltd
11/75 Waterway Drive
Coomera, QLD 4209 AUSTRALIA
Ph: +61 7 5556 0924
E: info@isoflex.com.au

Isoflex Technologies International, LLC
3434 SW 15th Street
Deerfield Beach, FL 33442 U.S.A.
Ph: 561-210-5170
E: info@isoflextech.com

ISOFLEX MOUNT DATA SHEET - GPM6

DIMENSIONS :

	Metric (mm)	Imperial (in)
Base length	91	3.58
Base width	52	2.05
Base bolt centres	65	2.56
Base thickness	8	0.31
Base bolt size	M6	1/4
Min free height	20	0.79



Mount model GPM6-6B or GPM6-8B

Specifications are subject to change without notice.

Copyright © 2020 Isoflex Technologies Pty Ltd

Isoflex Technologies Pty Ltd
11/75 Waterway Drive
Coomera, QLD 4209 AUSTRALIA
Ph: +61 7 5556 0924
E: info@isoflex.com.au

Isoflex Technologies International, LLC
3434 SW 15th Street
Deerfield Beach, FL 33442 U.S.A.
Ph: 561-210-5170
E: info@isoflextech.com

ISOFLEX MOUNT DATA SHEET - GPM6

Loading Type: Axial - Vertical Down (A-direction)



Resilient Core Colour	Spring Rate at 2mm	
	(kg/cm)	(lb/in)
Red	210	1175



Graph: Static Axial Vertical Load [kg] (lb) versus Deflection [mm] (in)

Copyright © 2020 Isoflex Technologies Pty Ltd